


Aboriginal Plant Use in south-eastern Australia



Stages in the making of a basket
from Spiny-headed Mat-rush
by Wally Mongta, 1991



Australian Government

Australian National Botanic Gardens

Discover...

Text by Daphne Nash

Artwork

Donna Wahl	Cover (Stages in the making of a basket from Spiny-headed Mat-rush by Wally Mongta, 1991) P2 (banksia, needle), p8 (spear thrower), p14 (stages in basket-making).
Christine Payne	p2 (indigo), p3, p4 (native cherry, rafts), p5, p6, p7, p8 (all except spear thrower), p9 (lily, kurrajong, net), p10 (nardoo), p11, p12, p13 (mat-rush, eel traps), p15, p16.
Bev Bruen	p13 (tree-fern).
Cameron McDonald	p4 (common reed, necklace) p9 (bowl, grinding stone).
Maryanne Traill	p9 (kangaroo grass).
Franki Sparke	p10 (mistletoe)
Leife Shallcross	p14 (eel trap, finished basket)

This material can only be copied for non-commercial education purposes.
Revised February 2004

Produced by Education Services
Australian National Botanic Gardens.
Clunies Ross Street, Acton ACT 2601

The Australian National Botanic Gardens –
Mission: *grow, study and promote Australian plants.*

Aboriginal Plant Use in South-eastern Australia

<i>Contents :</i>	<i>Page</i>
Planning the Excursion	1
• About the Questions	
• Purpose	
• Curriculum links	
Aboriginal Plant Use in South-east Australia	2
• Austral indigo	2
• Banksia	2
• Blackwood	3
• Bulrush, Cumbungi	3
• Cherry Ballart, Native Cherry	4
• Common Reed	4
• Flax Lily	5
• Geebung	5
• Gum Trees	7
• Gynea Lily	9
• Kangaroo Grass	9
• Kurrajong	9
• Mistletoe	10
• Nardoo	10
• Native Cypress Pine	11
• Native Raspberry	11
• She-Oaks	12
• Soft Tree Fern	13
• Spiny-headed Mat-Rush	13
• Yam Daisy or Murnong	15
Student Worksheet Answers	17
Bibliography	19
Map of the Gardens	20

Planning the Excursion

We want you to use the Information Resource Notes and example Student Worksheets as resources for planning your excursion. *Select questions that relate to the purpose of the excursion, cut and paste, modify and add your own activities.* There is some repetition of concepts and students cannot complete all activities within an hour. The concepts can be adapted to all levels, and the activities tailored to the time available in the Gardens. *Let us have a copy of your finished worksheets so we can share your ideas with others.*

Aboriginal Plant Use in south-eastern Australia is a directed walk that leaves the Main Path near marker 21 (ie 210 metres from the footbridge by the car park) and finishes back near the footbridge. See map attached. Interpretive signs occur by selected plants along the way. This booklet contains all the information on the signs along with information about other important plants that occur in the Gardens.

While students are in the Gardens it is more beneficial for them to be observing, discovering and developing attitudes and values rather than reading swags of text and writing comprehensive answers to questions. Good pre-visit and post-visit activities are important. Students can see Aboriginal artefacts on display in the Education Centre and experience the walk in the Gardens. A special artefacts kit, posters and books are available for loan from the Education Centre.

About the Questions

- The questions are open-ended so that students are encouraged to observe and think.
- They are intended as mind joggers for teachers to develop their own questions based on the outcomes they want.
- There are too many questions included here for students to successfully answer in one visit. Post-visit activities could take in more of the questions.
- They are written for adult readers and may need to be modified for students.

Purpose

The Aboriginal Plant Use activities focus on the Australian bush providing all the basic needs for survival of Aboriginal people for over 40,000 years, looks at aspects of the social fabric of Aboriginal society, and plant use today. It includes use of plants for food, medicine, tools, utensils, ceremony, hunting and everyday life.

Curriculum links

The activities in this walk allow for links across the curriculum, particularly in Studies of Society and Environment, Science, Technology and Health & Physical Education (Suggested levels years 3-12).

(

Aboriginal plant use in south-eastern Australia

Text by Daphne Nash

This section contains detailed notes and a bibliography on plants used by Aboriginal peoples of south-eastern Australia.

There is an Aboriginal Plant Use Walk marked by interpretive signs at the Gardens. A leaflet is available for this walk which covers a wide range of plant species from all parts of Australia.

The following plants are listed in alphabetic order of common name.


Austral Indigo

Indigofera australis

Habitat: Open forests

Season: Spring flowering

Crushed leaves were added to water to kill or stun fish like eels and Murray Cod.



Austral Indigo
leaves are a grey green colour.

Banksia

Banksia (various species)

Habitat: Heaths, scrub and dry, open forests


Season: Various flowering times

Q: How do you get to taste the sweet nectar?

A: Soak the **flowers** in water in a bark or wooden bowl.

Q: What could you do with a dry **cone**?

A: *Banksia marginata* (Silver Banksia) retains the dry flowers on the cones which some Victorian Aboriginal groups used to strain their drinking water. Other groups used the cones as firebrands.



Dried flower of Silver
Banksia.



Tool (needle) made from banksia wood and used in the weaving of baskets and mats. Made by Wally Mongta 1991.



Leaves, flowers and seed pod of Blackwood

Blackwood

Acacia melanoxylon

Habitat: High rainfall forests

Season: Spring – Summer flowering

The fine hard **wood** of this wattle made strong spear-throwers, boomerangs, clubs and shields in parts of Victoria.

People soaked the **bark** in water to bathe painful joints. The inner **bark** was used to make string.



Returning boomerang made by Laddie Timbery of Huskisson, NSW in 1990.


The timber used is Blackwood.

Bulrush, Cumbungi

Typha species


This aquatic plant grows all over Australia. The underground **stems** (rhizomes) are rich in starch and can be cooked by steaming in an earth oven. After steaming, the rhizomes can be chewed to remove the starch and the remaining fibre used to make string.

The young shoots were eaten raw as a salad. This plant was the most important food for people living along the Murray Darling River systems.



Bulrush

Technique used for nets made from string of Bulrush fibres.



Cherry Ballart, Native Cherry


Exocarpus cupressiformis

Habitat: Forests

Season: Spring-Autumn flowering

It might look like a small cypress tree, but it has small amounts of sweet, juicy **fruits** which would have provided a springtime snack. And that's not all – the **sap** was applied as a cure for snake-bite.

In Gippsland, it provided **wood** for spear-throwers.



Native Cherry



Common Reed

Common Reed


Phragmites australis

Habitat: Edges of creeks and rivers, especially near coast


Season: Summer

Tasmanian people ate the shoots of the underground stems or rhizomes. People from the lower Murray River collected mussels on inland lakes using large, rectangular rafts made from the long **stems** layered and bound.

Women made bags and baskets from the **leaves** and Murray River people made long, light spears from the tall **stems**. It was also used to stick through the septum of the nose as an ornament.



Necklace made from the stem segments of the Common Reed, (with Quandong seeds) (1992).



Rafts made from the long stems of the Common Reed



Flax Lily

Flax Lily

Dianella (various species)

Habitat: Heath and dry forest

Season: Spring flowering

Proof from the past: An old burial ground in central Victoria revealed a *Dianella* leaf, split and twisted into a cord.

In southern South Australia, people boiled the leaves to drink as a tea.

The roots and blue fruits of some species are edible.

Geebung

Persoonia linearis


Habitat: Forests

Season: Summer flowering

Scarce but tasty – the fruits of this and other *Persoonia* spp. Were a favoured Aboriginal food.

String and fishing lines were soaked in Geebung bark infusion, probably to help prevent fraying.

Ripe fruits of the Geebung



Grass Tree

Xanthorrhoea species


Habitat: Coastal heaths, wet and dry forests

Season: All year

From top to bottom, this plant had many uses.

Flowers: People collected nectar from the long flowering spikes with a sponge made of stringybark. The stalks from old flowers and fruits were used as tinder in making fire.


Flower stem: The heart of the stem was edible. You can see that the long dry stem could make light spear shafts. The soft wood provided the base for a fire-drill in making fire.



Grass Tree (Continued):

Leaves: The soft bases of the young leaves were sweet and had a nutty flavour. Tough leaves were used as knives to cut meat.


This is one of the native plants which flowers in response to fire.



The base of this fire drill is made from the soft wood of the Grass Tree flower stalk



Barbed hunting spear with base made from Grass Tree flower stalk.



Grass Tree resin

Stump: People collected globules of hard, waterproof resin from the base of each leaf and used it as glue to fasten barbs in spears or stone axes to handles.

Roots: People living in the Port Lincoln area in South Australia enjoyed eating the roots surrounding the stem base.

Gum Trees

Eucalyptus (various species)


Everyone knows the special property of eucalyptus leaves! The **leaves** of some species were crushed and soaked in water for medicinal purposes. Manna is **sap**, which exudes from many eucalypt trees, often from where insects have made holes. It dries into sugary white drops, which fall to the ground. Most species have astringent gum.

Bowls and dishes were made from the heavy **bark**. Those gnarled round growths on the trunk were used as well. The Kulin people in southern Victoria, made bowls called 'tarnuks' to carry water. Some had rope handles.


People along the Murray River made canoes from the bark of eucalypts (e.g. River Red Gum, *Eucalyptus camaldulensis*). They cut the bark to shape about 3m long then held it over a fire, so that the sides would curl. Both ends were tied with **inner-bark** fibre rope and wooden cross-pieces were used to prevent the sides collapsing.



Tarnuks or water vessels made from the gnarls of a gum tree



Canoe made from the bark of a gum tree contains a fishing net made from Kurrajong bark




Aboriginal people using reed spears and hoop nets. Upper Murray Chowilla Creek 1886.

(Used with permission of the State Library of Victoria.)


Gum Trees (Continued):

Many Aboriginal peoples crafted spear-throwers, boomerangs and shields from the fine, hard **wood** of eucalypts.




Spear thrower made from the timber of the Iron Bark by Peter Mongta of Cann River, Victoria in 1990.

Decorated knocking sticks made from a Mallee Gum by members of the 'Yourta Yourta' clan from the Murray River 1993.




Shields made from the wood of gum trees:



Shield from the NSW tablelands (Mid 19th century)



Engraved and painted shield from the Murray River region of South Australia. It is stained with ochre and white pipe clay.



Undecorated shield made from Red Box by Peter Mongta of Cann River, Victoria, 1991.

Gynea Lily


Doryanthes excelsa

Habitat: Coast and adjacent plateaus

Season: Summer – Spring flowering

The flowering stems can grow up to 4m high. Honeyeaters love the nectar of the large-crimson flowers on top. These birds were ready prey to be cooked and eaten!

Aboriginal people in the Lake Macquarie district of NSW were observed in 1836 roasting the **stems**, having cut them when a foot and a half high and as thick as a person's arm. They also roasted the **roots**, which they made into a sort of cake to be eaten cold.




Kangaroo Grass

Themeda triandra

The grass heads are easy to recognise. The **seeds** ripen in summer and people in the tableland and high country areas of New South Wales collected them in great quantities, to grind and bake into cakes.

Kangaroo Grass was gathered in wooden bowls. The seeds were separated and grinding stones were used to produce flour which was mixed with water and cooked to make damper.





Kurrajong

Brachychiton populneus

Habitat: Valley slopes, open forests

Season: Summer flowering

Roots of the young plants were a popular food and the **seeds** were probably eaten after processing. With twine made from Kurrajong **bark**, Aboriginal people of the Hastings River region, NSW, made fishing nets.



The tough, leathery seed pods of the Kurrajong


Fibres of the bark of Kurrajong were used to make this net. Waterbirds are frightened into the net by boomerangs thrown above them to simulate birds of prey.

Mistletoe

Amyema (various species)

Look up and see if you can spot the drooping clump of mistletoe leaves. People enjoyed the sticky **fruits** and in some areas the **leaves** were used for healing.


The Grey Mistletoe (*Amyema quandong*) is often found on Blackwood trees. It is a parasite which can take over and eventually kill the host tree.



Mistletoe

Nardoo

Marsilea drummondii



Nardoo plants. See the spore cases (2) and the spores (3) inside. Smvth 1878:217.

Habitat: River flood plains

Season: Dry season

Did you know that the explorers Burke and Wills died from starvation while trying to survive on Nardoo? Nutritious food can be made from the **spores** of this plant if it is prepared correctly.

The explorers Burke and Wills found that a diet of Nardoo alone was not enough to sustain life. It is reported that thiaminase in Nardoo may have induced beri-beri rather than cause starvation, ie the Nardoo was not prepared according to indigenous instructions.

An unusual fern, which grows in shallow seasonal water. When the waterdried up, the hard spore cases were collected. They were broken up on grindstones and the spores were separated from the outer cases. The spores swell when moistened and were made into damper. Although used in drier areas such as Cooper's Creek, Nardoo is said to have been largely a standby food when other things were in short supply. Aboriginal people in north west Victoria collected the spore cases when the water dried up. They roasted them, discarded the cases then ground the spores to make cakes.

Native Cypress-pine

Callitris (various species)

Habitat: Inland and coastal woodlands


Season: All year

Murray River people used the **resin** from *Callitris* species as an adhesive for fastening barbs to reed spears and axe-heads to handles.


From the long **branches**, they made canoe poles, which doubled as fish spears.



Axe-head attached with resin from the Native Cypress-pine. These types of axes were used in Victoria, north-western parts of NSW and in Queensland.



Fish spear



Native Raspberry

Native Raspberry

Rubus parvifolius

The red **fruits** of this plant are a delicious food, but not as sweet as the European raspberry.

Riceflower

Pimelea linifolia

Habitat: Heaths: mountain forests

Season: Flowers in spring and summer

We know the **bark** of the riceflower as 'Bushman's Bootlace', but here's how to make a string:




Riceflower

Riceflower (Continued)

Strip the **bark**, dry it, place in stream for about one week, dry in sun, soften by chewing/beating with sticks and stones, roll on the thigh and spin into fine, strong thread.

During summer, people came to the high country to feast on thousands of Bogong moths. They caught them in strong, delicate string nets made from *Pimelea* **bark**.



Very fine net of string made from the bark of the Riceflower – used to catch Bogong Moths.

'They had very fine meshes and were manufactured with great care, and being attached to a couple of poles they could be readily folded up when they had to be withdrawn from the crevices.'
Helms 1895:594


She-oaks

Casuarina and *Allocasuarina* (various species)

Habitat: High rainfall areas, along water courses


Season: Winter – Spring (cones)

Imagine chewing these needle-like **stems** to quench your thirst? (Note the small scaly **leaves** along the green stems). In the Canberra region, people ate the leaves and young **cones** of *Allocasuarina verticellata* (previously known as *Casuarina stricta*).



She-oak *Allocasuarina verticellata*

The Ngarrindjeri people of the lower Murray River (Coorong) made shields, clubs and boomerangs from the hard **wood**.



Soft Tree-fern

Soft Tree-fern

Dicksonia antarctica

Habitat: Gullies of tall, moist forests

Season: All year

People used the soft, starchy **pith** from the top part (0.5m) of the stem. They split the stem, scooped out the pith and ate it raw or roasted in ashes.

The Tasmanians preferred the Rough Tree-fern, *Cyathea australis*, because it tasted better than the smooth Tree-fern. The smooth Tree-fern is the one which is usually grown in home gardens.

Spiny-headed Mat-rush

Lomandra longifolia


Habitat: Widespread, particularly sandy soils

Season: All year


Women gathered the smooth strap-shaped leaves from the water's edge to make baskets. They split each rush, tied them in bundles to be soaked allowing the fibres to become pliable for weaving.

Flowers provided nectar.

The illustration below shows how Aboriginal people used a combination of weirs and basketry traps for fishing.




Spiny-headed Mat-rush



Eel traps made of woven mat-rush. Here they have been used with a weir made of sticks and placed across the stream. These traps are fixed in position. Traps can also be held by hand.




At Lake Condah, Victoria, Aboriginal people still make these traditional eel traps.



This is a funnelled basket used as an eel trap, made by people from Lake Condah.

Today, people at Lake Tyres, Victoria and Eden, NSW are carrying on their basketry traditions and experimenting with new materials and designs.


Stages in making a basket.



Coiled basket being woven from Spiny-headed Mat-rush at Lake Tyres on the east coast of Victoria

Yam daisy or Murnong

Microseris lanceolata



Yam Daisy or Murnong

Roots were important vegetable foods in the south-east. Some of the plants whose roots were eaten include *Bulbine bulbosa* (Bulbine Lily), *Arthropodium milleflorum* (Vanilla Lily), *Burchardia umbellata* (Milkmaid) and *Microseris lanceolata* (Murnong or Yam Daisy) formerly known as *Microseris scapigera*.

Yam Daisy was a most important staple food. Women dug the **roots** with digging sticks and then roasted them in baskets in an earth oven.


Digging for roots turned over the soil and thinned out the root clumps, two ways of encouraging plant production. Aboriginal people didn't take the lot or there'd be none left for next time!

Aboriginal people believed that the **roots** of 'murnong' should not be collected before the plants flowered. This was probably because during the drier winter period before springtime flowering, the roots would not be fully developed.



Yam Daisy roots collected in bowl made of eucalyptus bark.

Digging stick made from wattle wood and used by women




Yam daisy or Murnong (Continued)



*This drawing by J.H. Wedge (1835) shows women digging roots of the Yam Daisy. The roots of this plant were an important food source for people of the Port Phillip area, Victoria.
(Drawing used with the permission of the State Library of Victoria).*

This small perennial plant has a radish-shaped tuber, which is renewed each year. In the spring the plant forms a yellow flower-head like a dandelion, and in the summer the leaves die off and the tuber becomes dormant. The tubers are cooked in baskets in an earthen oven, producing a dark sweet juice which was much liked. Once a common plant, Murnong became scarce due to grazing by sheep.

The roots or underground stems of other plants were also eaten.




Milkmaid

The long tuberous roots were available all year round and were cooked before eating.



Bulbine Lily

The edible corm is surrounded by swollen roots. This plant grows on Black Mountain, ACT



Potato Orchid

It has swollen underground stem (rhizome), rich in starch.

Some possible questions for students, and suggested responses

Discussion points (*in italics, in brackets*)

The questions are open-ended. Teachers need to select or modify, and provide resources and a time frame. Most benefit will be gained from discussion after the visit to the ANBG. Most questions make use of information in the brochure, with extension thinking and/or research. The “answers” below aren’t necessarily answers to the questions but more like reasons for the questions; you can go into far more depth or scope if you choose.

1. The Spiny-headed Mat-rush (*Lomandra longifolia*) was used by the local Ngunnawal people to make baskets and fish traps.
 - Suggest the kinds of things that would have been carried from camp to camp in baskets?
(gets children thinking about carrying tools, equipment, utensils, ceremonial implements etc over long distances)
 - Find out how to make a basket from reeds or rushes in your area?
(See bibliography for processes; perhaps there are some local Aboriginal people in your area)
 - Describe how you would set up an eel trap in a small stream?
(gets children to place themselves in a real life situation and to think about the problem of catching fish for food)
2. The Bottle Tree (*Brachychiton rupestre*) had many different uses including making nets for catching water birds.
 - How might the local people of northern Australia have removed the bark without killing the tree?
(what tools would have been available –sharp stones, axes? Only cut off some bark, don’t ring-bark the tree)
 - Find out how you might turn tree bark into string?
(see bibliography. Make some string from a fibrous plant leaf)
 - Find out how to make a net out of string and make a small one for yourself?
(see bibliography)
 - Describe how you might catch ducks using your net?
(another real life situation to put ones self into; how can you improve your chances of capturing a bird?)
3. The Gymea Lily (*Doryanthes excelsa*) is only found near Sydney. Honey-eaters love the nectar from the large crimson flowers. The local Wodi Wodi people made good use of the gymea lily.
 - Suggest as many ways as you can? Perhaps you could investigate this plant more in your library or on the internet.
(catch birds attracted by the nectar, leaf fibre for string or weaving? Perhaps leaves for wrapping food to be cooked? Perhaps flower stalks could be used as spear shafts as well as starchy food; roots for food)

../Continued

4. Blackwood (*Acacia melanoxylon*) trees are found in cool, moist forests. The flowers of this and other wattles were used by Aboriginal people, as well as the bark and the wood.
 - Investigate further and make a list of uses under the following headings:
 - Food (*eg nectar dissolved in water as a drink*)
 - Shelter (*children might imagine leaves, bark, branches, firewood*)
 - tools and utensils (*eg digging stick, bowl, fire sticks*)
 - toys (*eg returning boomerang, animal figures with hot wire designs,*
 - weapons (*spear tips, shield, boomerang, waddy*)
 - music and ceremony (*clap sticks*)
 - Blackwood is grown commercially today, especially in Tasmania and Victoria. Find out why the timber is so valuable now?
(*quality furniture, other uses they might find*)

5. Manna Gum (*Eucalyptus viminalis*) and other eucalypt trees produce sweet, chewy manna.
 - Find some manna on an eucalypt tree in your area.
(*compare with gums and resins from other plants eg wattles*)
 - The leaves of eucalypts and other closely related plants like tea-trees, bottle-brushes and paper-barks contain sweet-smelling oils. Find out how the leaves of these plants were used by Aboriginal people?
(*eg leaves heated to release oils and vapour breathed in for colds, oil squeezed onto cuts and scratches to help healing, see bibliography*)
 - Many of the plants mentioned above are now grown commercially for their oils. Find out about some of the plants and what the oils are used for today?
(*eg as insect repellents, deodorant additives, healing cuts and scratches because of anti-bacterial effects etc*)
 - Find out how Aboriginal people used the bark and the hard wood of some eucalypt trees.
(*eg bark for containers/bowls, string, shelter, canoes. Wood for weapons, tools, and hollowed branches for didgeridoos*)
 - We grow and cut down huge numbers of gum trees nowadays. Many people think this can be a good thing while others think this is not good at all. What do YOU think? Give reasons.
(*it's the evidence gathered and thought processes that are important to develop*)

6. Tree ferns (*Cyathea* and *Dicksonia* species) stems and roots of many other plants were used for food but Aboriginal people never camped in one place long enough to eat them all.
 - Suggest why?
(*children might think about conservation issues – the group needs to come back here another time, so they leave enough plants to provide sustainable food supply; too difficult to carry food over long distances; too difficult to maintain gardens in many locations at once*)

7. Aboriginal people have lived in Australia for at least 40,000 years. They were totally dependent on the bush for all their needs.
 - How would YOU have survived in Australia 1,000 years ago? To help you with your investigations make a list of your basic needs, and another list of things that were important in the fabric of the society in which you lived.
(Looks at basic needs for survival of any organism, and then the special needs of humans from a social point of view.)

Bibliography of South-eastern Australian Aboriginal Ethnobotany.

This select bibliography is in two parts. **Part A** lists material alphabetically by title where an author has not been identified. **Part B** lists material alphabetically by author/person primarily responsible for the work.

Part A.

- Aboriginal Australia*. 1981. Sydney: Australian Gallery Directors Council.
- The Kurna Seasonal Trail Excursion – Teachers' Handbook*. 1985. Adelaide: Aboriginal Community College Inc.
- The Kurna People; Aboriginal People of the Adelaide Plains*. 1989. Adelaide: Education Department of South Australia.
- Ngurunderi; An Aboriginal Dreaming*. 1989. Adelaide: South Australian Museum.
- Daughters of a Dreaming*. 1991. Melbourne: Museum of Victoria.
- The Kai Kai Nature Trail; A Resource Guide for Aboriginal Studies*. 1991. Aboriginal Studies R-12. Adelaide: Education Department of South Australia.

Part B.

- Carolin, R.C., and Tindale, M.D. 1994. *Flora of the Sydney region*. Sydney: Reed.
- Clarke, P.A. 1986. The study of ethnobotany in South Australia. *Australian Aboriginal Studies*(2):40-47.
- Costermans, Leon. 1981. *Native trees and shrubs of South-Eastern Australia*. Adelaide: Rigby.
- Cribb, A.B., and Cribb, J.W. 1987. *Wild Food in Australia*. Sydney: Fontana.
- Dargin, Peter. 1976. *Aboriginal Fisheries of the Darling-Barwon Rivers*. Brewarrina: Brewarrina Historical Society.
- Donaldson, Ian, and Donaldson, Tasmin. 1985. *Seeing the First Australians*. Sydney: Allen and Unwin.
- Flood, Josephine. 1980. *The Moth Hunters*. Canberra: Australian Institute of Aboriginal Studies.
- Foster, Elizabeth. 1985. *The Aborigines; From Prehistory to the present*. Melbourne: Oxford University Press.
- Gott, Beth and Conran, John. 1991. Victorian Koorie Plants. Yangennanock Women's Group, Aboriginal Keeping Place, PO Box 666, Hamilton, Victoria 3300.
- Gott, Beth. 1993. Use of Victorian Plants by Koories. In *Flora of Victoria*. Edited by D.B. Foreman and N.G. Walsh. Melbourne: Inkata Press.
- Helms, R. 1895. Anthropological notes. *Proceedings of the Linnean Society of New South Wales*. 20 (2):387-407.
- Leiper, Glenn. 1985. *Mutooroo; Plant use by Australian Aboriginal people*. Eagleby: Eagleby South State School.
- Lumholtz, Carl. 1980 [1889]. *Among Cannibals*. Canberra: ANU Press.
- McBryde, Isabel. 1978. *Record of Times Past*. Canberra: Australian Institute of Aboriginal Studies.
- Nayutah, Jolanda, and Finlay, Gail. 1988. *Our Land, Our Spirit; Aboriginal Sites of North Coast New South Wales*. Lismore: North Coast Institute for Aboriginal Community Education.
- Pepper, Philip. 1985. *The Kurnai of Gippsland*. Melbourne: Highland House.
- Presland, Gary. 1985. *The Land of the Kulin; Discovering the Lost Landscape and the First People of Port Phillip*. Melbourne: McPhee Gribble/Penguin Books.
- Smyth, R. Brough. 1878. *Aborigines of Victoria*. Melbourne: Government Printer.
- Symons, Pat and Sim. 1994. *Bush Heritage*. Nambour, Qld: P & S Symons.
- Taylor, Penny. 1988. *After 200 years: Photographic essays of Aboriginal and Islander Australia Today*. Canberra: Aboriginal Studies Press.
- Tunbridge, Dorothy. 1985. *Artefacts of the Flinders Ranges*. Port Augusta: Pipa Wangka.
- Zola, Nelly, and Gott, Beth. 1992. *Koorie plants, Koorie people; Traditional Aboriginal Food, Fibre and Healing Plants of Victoria*. Melbourne: Koorie Heritage Trust.

